Essential Oil Roller Ball Wallet



Material's List

Light weight Cotton
Light weight fusible interfacing
Hook and Loop Tape (aka velcro)

Watch the tutorial at www.youtube.com/charmedbyashley

direct link https://youtu.be/xE0ETPLBy4A

B

Velcro Closure Strap For more photos and a closer look visit www.charmedbyashley.com



This exclusive pattern is available only at my Patreon Etsy or Craftsy

Instructional video is set to private and will be released upon purchase



https://www.patreon.com/charmedbyashley www.craftsy.com/people/charmedbyashley www.etsy.com/shop/charmedbyashley

Roller Ball Pocket piece

Folded in half

out of main fabric



Cut 2

Cut 2 out of light weight Interfacing

Wallet Main Piece

Α



2x A piece 1x B piece

1 x C piece (Pocket)






use pattern to cut out interfacing for piece A & B






Take pocket piece and fold in half length ways, Press, Top stitch along

the folded edge







Take B piece, fold in half, sew along one short side and down long side Flip right sides out and press, top stitch along 3 sides





Using a Water soluble pen or Chalk marker find centre of piece A place centre of piece C (pocket piece) folded end up, lay the pocket piece on the bottom of piece A, line up the bottom of each piece, Sew down the middle of the pocket securing it to piece A, back stitch at the top of the pocket to ensure security as there will be lots of pressure from bottles going in and out over time.

Take each side of the pocket piece and line it up with the edge of piece A, Sew close to the edge and secure the pocket down to create 2 pockets.

This row of stitches is just to keep things in place and wont be visible once its finished so make sure its close to the edge.



from the middle seam measure 3/4" away on either side, mark with a pen, draw a striaght line from the folded edge to the raw edge, the pocket will now be the perfect size for a 10ml bottl, test out the pockets after you sew this seam to make sure its good

Now we will do another seam that is purely to keep things in place, take the pockets and fold over as shown, (like your pleating) Sew as close to the edge as possible

These stitches wont be visible on the finished product





Take the second Piece A and sew on the Loop portion of your Velcro.

measure about $1 \ 1/2$ " in from the short side and centre it

sew around the tape and down the middle for extra security


This velcro will be behind your bottle pockets



Now you can assemble, place the two A pieces right sides together, make sure the Velcro is ontop of the bottle pockets

Centre Piece B on the other side

Sew all the way around except for a 1 or 2" gap for turning



Now turn right side out and press, turn in the edges of the hole



Once pressed do a top stitch around it securing the hole shut





Place bottles into wallet and close it up to test where you will place the Velcro, Sew on the Velcro and you should be done!